



Bromint Plus

Oral solution



Recommended especially in avian flu and infective bronchitis

- ✓ Improves the function of the respiratory tract
- ✓ Fast relief from respiratory symptoms in poultry
- ✓ Facilitates breathing

Expectorant and mucolytic especially formulated for poultry

- ✓ With eucalyptus oil which reestablishes the function of the respiratory epithelium and helps eliminate the mucus
- ✓ With mentol which reduces irritation and has anesthetic effect

Convenience of use

- ✓ Can be used with a spray unit



Bromint Plus Oral solution



Eucalyptus exerts a beneficial effect on the physiology of the bronchial tree at several levels

- It acts directly on the bronchial epithelium, exerting an irritating effect and increasing the production of bronchial and alveolar secretions.
- Increases the activity of the bronchial cilia and fluidifies the bronchial and alveolar secretions.
- Produces a relaxation of the bronchial smooth muscle.
- Eucalyptus presents an anti-inflammatory effect, inhibiting cyclooxygenase, and, therefore, the synthesis of prostaglandins.
- Antiseptic.




Effect of menthol

Menthol acts on special nerve receptors called TRPM8, or more commonly "Cold and menthol receptors".

These receptors, when activated, generate a potential action that produces a cool sensation.

This refreshing power over the sensitive nerve endings is responsible for the analgesic-anaesthetic effect in the zone.



COMPOSITION PER LITRE

Menthol	20 g
Eucalyptus oil	1 g
Preservative: Benzyl alcohol (E 1519)	20 g

INDICATIONS

- Bromint Plus improves the function of the upper respiratory system in poultry, promotes expectoration of sputum and facilitates respiration.
- It is especially recommended in H9 and IB in case of sneezing and choking for all respiratory problems.
- Eucalyptus oil re-establishes the natural activity of the respiratory epithelium and helps to eliminate the mucus from the bronchial tube.
- The menthol has anaesthetic activity and reduces the irritation of the mucous membrane.

DOSAGE AND ADMINISTRATION ROUTE

Oral solution for administration in drinking water.

- **General prevention:** 1 ml/8 litres of drinking water, 2 times a week
- **Against H9 and IB:** 1 ml/5 litres of drinking water, 2-3 times a week
- **Special prevention of respiratory problems:** 1 ml/5 litres of drinking water for 2-3 days.
- **Preventive air spray:** 20 ml/1 litre of spray, 2 times a week.

Bromint Plus can be administered using a conventional spray unit with a fine spray. This method is recommended for fast relief from respiratory symptoms.

CONTRAINDICATIONS

Avoid the simultaneous use of Bromint Plus with live vaccines or prior to vaccination.

SPECIAL PRECAUTIONS FOR STORAGE

Store in a cool and dry place, below 25 °C and protected from light.
Shelf life: 2 years stored in its original closed container.

PRESENTATIONS

200 mL and 1 litre bottles.
5 litre jug.

αESP-08100341

